6

	Application No.	Applicant(s)
	10/840,066	KOROVIN ET AL.
Notice of Allowability	Examiner	Art Unit
	Dung V Nguyen	3723
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-21</u> .	·	
3. $\boxtimes$ The drawings filed on <u>05 May 2004</u> are accepted by the Ex	kaminer.	
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	·
(a) I including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-	948) attached
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date	· ·	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the		
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	,, , ,
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	e
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	8 M Evaminada Statoma	ent of Reasons for Allowance
of Biological Material		FILL OF INCOSOFIS FOR MILLOWATICE
		hm
Jung vom hognym		
<b>DUNG VAN NGUYEN</b> BRIMARY EXAMINER		

Page 2

Application/Control Number: 10/840,066

Art Unit: 3723

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: prior art of 1. record considered as a whole alone or in combination neither anticipates nor renders obvious, calculating a predicted clearing time profile for a first layer based upon a thickness profile and an expected removal rate profile, constructing an actual removal rate profile based on the expected removal rate profile and a calculated time correlation coefficients, in combination with the rest of the limitations in claim 1; prior art of record considered as a whole alone or in combination neither anticipates nor renders obvious, constructing a actual removal rate profile for a first layer based on an expected removal rate profile, an expected end point detection time for each of a plurality of end point detection probes, and actual end point detection time for each of the plurality of end point detection probes, in combination with the rest of the limitations in claim 9; prior art of record considered as a whole alone or in combination neither anticipates nor renders obvious, determining an expected end point detection response from each of a plurality of end point detection probes, determining a difference between the expected end point detection response and an actual end point detection response, in combination with the rest of the limitations in claim 14; prior art of record considered as a whole alone or in combination neither anticipates nor renders obvious, constructing a removal rate profile for a first surface of the fist work piece based on differences between the expected end point detection response and an actual end point detection response, in combination with the rest of the limitations in claim 18; prior art of record considered as a whole alone or in combination neither anticipates nor renders obvious, evaluating information

Application/Control Number: 10/840,066

Art Unit: 3723

from a plurality of end point detection probes to determine removal rate of a first layer across a first workpiece, adjusting variables to a second setting in response to evaluating the information, in combination with the rest of the limitations in claim 21.

- 2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dung V Nguyen whose telephone number is 571-272-4490. The examiner can normally be reached on M-F, 7:00-3:30.
- 4. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph J Hail can be reached on 571-272-4485. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.
- 5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DVN April 14, 2005

Amy vom hognym

Page 3

DUNG VAN NGUYEN
PRIMARY EXAMINER